## IN THE CLAIMS

- 1-26. (new) (canceled)
- 27. (new) A method of screening for therapeutic agents useful in the treatment of a disease selected from the group consisting of cardiovascular diseases, dermatological diseases, endocrinological diseases, metabolic diseases, cancer, gastroenterological diseases, inflammation, hematological diseases, neurological diseases, and urological diseases in a mammal, comprising:
  - i) contacting a test compound with a RNPEP-like polypeptide; and
  - ii) detecting binding of said test compound to said RNPEP-like polypeptide.
- 28. (new) A method of screening for therapeutic agents useful in the treatment of a disease selected from the group consisting of cardiovascular diseases, dermatological diseases, endocrinological diseases, metabolic diseases, cancer, gastroenterological diseases, inflammation, hematological diseases, neurological diseases and urological diseases in a mammal, comprising:
  - i) determining the activity of a RNPEP-like polypeptide at a certain concentration of a test compound or in the absence of said test compound; and
  - ii) determining the activity of said polypeptide at a different concentration of said test compound.
- 29. (new) A method of screening for therapeutic agents useful in the treatment of a disease selected from the group consisting of cardiovascular diseases, dermatological diseases, endocrinological diseases, metabolic diseases, cancer, gastroenterological diseases, inflammation, hematological diseases, neurological diseases and urological diseases in a mammal comprising:

- i) determining the activity of a RNPEP-like polypeptide at a certain concentration of a test compound; and
- ii) determining the activity of a RNPEP-like polypeptide at the presence of a compound known to be a regulator of a RNPEP-like polypeptide.
- 30. (new) The method of claim 27 wherein the step of contacting is in or at the surface of a cell.
  - 31. (new) The method of claim 27 wherein the cell is in vitro.
  - 32. (new) The method of claim 27 wherein the step of contacting is in a cell-free system.
- 33. (new) The method of claim 27 wherein the polypeptide is coupled to a detectable label.
- 34. (new) The method of claim 27 wherein the compound is coupled to a detectable label.
- 35. (new) The method of claim 27 wherein the test compound displaces a ligand which is first bound to the polypeptide.
- 36. (new) The method of claim 27 wherein the polypeptide is attached to a solid support.
  - 37. (new) The method of claim 27 wherein the compound is attached to a solid support.
- 38. (new) A method of screening for therapeutic agents useful in the treatment of a disease selected from the group consisting of cardiovascular diseases, dermatological diseases, endocrinological diseases, metabolic diseases, cancer, gastroenterological diseases, inflammation, hematological diseases, neurological diseases and urological diseases in a mammal comprising:
  - i) contacting a test compound with a RNPEP-like polynucleotide; and

- ii) detecting binding of said test compound to said RNPEP-like polynucleotide.
- 39. (new) The method of claim 38 wherein the nucleic acid molecule is RNA.
- 40. (new) The method of claim 38 wherein the contacting step is in or at the surface of a cell.
  - 41. (new) The method of claim 38 wherein the contacting step is in a cell-free system.
- 42. (new) The method of claim 38 wherein polynucleotide is coupled to a detectable label.
- 43. (new) The method of claim 38 wherein the test compound is coupled to a detectable label.
- 44. (new) A method of diagnosing a disease selected from the group consisting of cardiovascular diseases, dermatological diseases, endocrinological diseases, metabolic diseases, cancer, gastroenterological diseases, inflammation, hematological diseases, neurological diseases and urological diseases in a mammal, comprising:
  - i) determining the amount of a RNPEP-like polynucleotide in a sample taken from said mammal; and
  - ii) determining the amount of RNPEP-like polynucleotide in healthyand/or diseased mammals.
- 45. (new) A pharmaceutical composition for the treatment of a disease selected from the group consisting of cardiovascular diseases, dermatological diseases, endocrinological diseases, metabolic diseases, cancer, gastroenterological diseases, inflammation, hematological diseases, neurological diseases and urological diseases in a mammal comprising a therapeutic agent which regulates the activity of a RNPEP-like polypeptide, wherein said therapeutic agent is
  - i) a small molecule,

- ii) an RNA molecule,
- iii) an antisense oligonucleotide,
- iv) a polypeptide,
- v) an antibody, or
- vi) a ribozyme.
- 46. (new) A pharmaceutical composition for the treatment of a disease selected from the group consisting of cardiovascular diseases, dermatological diseases, endocrinological diseases, metabolic diseases, cancer, gastroenterological diseases, inflammation, hematological diseases, neurological diseases and urological diseases in a mammal, comprising a RNPEP-like polynucleotide.
- 47. (new) A pharmaceutical composition for the treatment of a disease comprised in a group of diseases consisting of cardiovascular diseases, dermatological diseases, endocrinological diseases, metabolic diseases, cancer, gastroenterological diseases, inflammation, hematological diseases, neurological diseases and urological diseases in a mammal, comprising a RNPEP-like polypeptide.